

L Number	Hits	Search Text	DB	Time stamp
-	15713	(select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway or computer or host) with (session or connection or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:07
-	6916	(select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server) with (session or connection or communication)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:07
-	406	(select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server) with (session or connection or communication) with (dynamic\$ or automatic\$)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:08
-	447	(select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:35
-	178	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:38
-	72	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and relay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:20
-	49	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and (domain adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:20
-	77	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and DNS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:23
-	18	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and relay) and (((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and (domain adj name)) and (((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and DNS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:23

-	0	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and ("not" or "no") with (behind) near2 (firewall or gateway) with (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:42
-	0	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and ("not" or "no") with (behind) near2 (firewall or gateway) same (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:43
-	24	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (TCP or TCP/IP or UDP) with (connect\$ or communicat\$4 or message)) and (firewall or gateway) with (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 15:44
-	25	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (firewall or gateway) with (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 16:03
-	9	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) and (firewall or gateway) with (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4) same firewall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 16:03
-	55	5951694.URPN.	USPAT	2004/01/27 16:01
-	2421	(firewall or gateway) with (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 16:03
-	0	((select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$)) with (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4) with (behind near2 firewall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 16:04
-	32	(TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4) with (behind near2 firewall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 16:05
-	84	(select\$4 designat\$4 indicat\$4 choos\$4 identif\$4 assign\$4) near3 (server or gateway) with (session or connection or communication) with (dynamic\$ or automatic\$) and firewall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:44
-	6573	(session or connection or communication) with (application or service) with (TCP or TCP/IP or UDP or transport) with (connect\$ or communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:48

-	806	establish\$4 with (session or connection or communication) with (application or service) with (TCP or TCP/IP or UDP or transport)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:01
-	142	(establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:53
-	0	((establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)) same (firewall)with ("no" or "not")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:54
-	0	((establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)) same ((firewall)with ("no" or "not"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:54
-	0	((establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)) same ((firewall) same ("no" or "not"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:54
-	2	((establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)) same ((firewall or gateway) same ("no" or "not"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:58
-	142	((establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 12:04
-	2	((establish\$4 or request\$4) with (session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)) and ((firewall) with ("no" or "not"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:58
-	17	((session or connection or communication) with (TCP or TCP/IP or UDP or transport) with (application or service) with (endpoint or "end user" or "end-user" or destination)) and (behind with firewall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 12:05
-	6	establish\$4 with (session or connection or communication) with (application or service) with (TCP or TCP/IP or UDP or transport) with (firewall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:04
-	0	establish\$4 with (session or connection or communication) with (application or service) with (TCP or TCP/IP or UDP or transport) with (outside near2 (firewall))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:05

-	2	establish\$4 with (session or connection or communication) with (application or service) with (TCP or TCP/IP or UDP or transport) same (outside near2 (firewall))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:48
-	42	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport) same ((firewall)) and relay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:45
-	26	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport) same ((firewall)) and relay\$4 and forward\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:20
-	0	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport) same ((firewall)) and relay\$4 and forward\$4 and (((user or client or requestor or source) near2 (select\$4 or choos\$4 or designat\$4 or indicat\$4)) with list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:23
-	0	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport) same ((firewall)) and relay\$4 and forward\$4 and (((user or client or requestor or source) near2 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:23
-	5	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport) same ((firewall)) and relay\$4 and forward\$4 and (((user or client or requestor or source) near2 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with (server or host))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:30
-	12	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport) same ((firewall)) and relay\$4 and forward\$4 and (((user or client or requestor or source) with (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with (server or host))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:37
-	116	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) same ((firewall)) and (((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with (server or host) or "IP address" or network or list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:40
-	11	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) same ((firewall)) and (((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with (server or host) or "IP address" or network or list) and roam\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:42

-	4	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) same ((firewall)) and ((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with ((server or host) or "IP address" or network or list))and roam\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:57
-	3	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) same ((firewall)) and ((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with ((server or host or destination) or "IP address" or network or list))and roam\$ and ((user or client or requestor or source) with (associat\$4 or depend\$4 or based or basis) with (host or server or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:48
-	3	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) same ((firewall)) and ((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with ((server or host) or "IP address" or network or list))and (roam\$ with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:38
-	12	(US-6104716-\$ or US-6304898-\$ or US-6515997-\$ or US-5951694-\$ or US-5938737-\$ or US-5867665-\$ or US-6658472-\$ or US-6052788-\$).did. or (US-20030167403-\$ or US-20030154306-\$ or US-20030204756-\$ or US-20020023143-\$).did.	USPAT; US-PGPUB	2004/01/28 19:03
-	9	((US-6104716-\$ or US-6304898-\$ or US-6515997-\$ or US-5951694-\$ or US-5938737-\$ or US-5867665-\$ or US-6658472-\$ or US-6052788-\$).did. or (US-20030167403-\$ or US-20030154306-\$ or US-20030204756-\$ or US-20020023143-\$).did.) and gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:03
-	2	6546425.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:19
-	3	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) same ((firewall)) and ((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with ((server or host) or "IP address" or network or list or name))and (roam\$ with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:26
-	18	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) and ((firewall)) and ((user or client or requestor or source) near3 (select\$4 or choos\$4 or designat\$4 or indicat\$4 or point\$4)) with ((server or host) or "IP address" or network or list or name))and (roam\$ with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:26

-	10	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) and ((firewall)) and (((user or client or requestor or source) near3 (select\$4 or choos\$4)) with ((server or host) or "IP address" or network or list or name))and (roam\$ with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:27
-	6	(session or connection or communication) with (application or service or function) with (TCP or TCP/IP or UDP or transport or TCP\$) and ((firewall)) and (((user or client or requestor or source) near3 (select\$4 or choos\$4)) with ((server or host) or "IP address" or network or list or name))and (roam\$ with network) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:27